



LUPUS BFX GREASE EP.2

High Performance Extreme Pressure Grease

Description

Lupus BFX Grease EP. 2 is a strongly adhesive calcium-lithium grease based on mineral oil with a high viscosity and EP and anti-corrosion additives. The additives package is free of chlorine or heavy metals and contains no sulfur-containing substances that may cause copper corrosion. This grease provides better performance than conventional calcium and lithium greases in terms of water resistance, temperature range, mechanical stability and load bearing properties.

Lupus BFX Grease EP. 2 is used for the lubrication of off road agricultural applications, on board vessels (Stern tubes, stirring, rolling and plain bearings, winches, sprockets and fish sorting machines of both inland as fishing vessels), "A universal grease for all types of lubrication points on board". This grease has the following characteristics:

- Particular adhesion ability
- Very high mechanical stability
- High water repels and excellent anticorrosion protection
- Extreme anti-wear and extreme-pressure properties

Quality level

NLGI: 2

Available in

Carton of 24x400 Gr. (Tubes)
Boxes of 1 Kg and 5 Kg.
Barrels of 18, 50 and 180 Kg.

Application

Extremely suitable for lubrication of off road agricultural applications, ships, heavy transport, agricultural engines, public works, industrial equipment or maritime cranes.

Photo



Typical properties

Thickener	Lithium – Calcium
Colour	Red
Dropping point	185
Base oil viscosity cst 40°C	220
Base oil viscosity cst 100°C	17.5
4 ball weld load	260
Temperature range	-20° → 130° C
Water resistance	Insoluble

Average oil analysis without engagement



DENICOL MOTOR OILS N.V. • Kromstraat 54 • 2520 Ranst (Antwerp-Belgium)
TEL +32 (0)3.485.81.91. - +32.(0)3.485.81.92. • FAX +32 (0)3.485.81.93.
URL <http://www.denicol.com> • EMAIL denicol@denicol.com